

# DP1200x



## Where mobile projection gets personal

### GOES EVERYWHERE YOU GO.

Travel light—it's the business traveler's mantra. The Proxima® DP1200x answers the call, weighing just 1.98 lbs/0.9 kg. And because of its revolutionary shape, it fits where others can't, so you only need one briefcase for both laptop and projector.

### MAKES YOU LOOK GOOD.

The DP1200x was designed to reduce the anxiety of using a projector. From the simplified keypad to the icon-based menus and color-coded connections, the DP1200x is simple to operate every time, right out of the box. So you'll look smooth and in control of every presentation.


### BIG PERFORMANCE, SMALL PACKAGE.

The DP1200x delivers superior brightness in nearly any environment, whisper-quiet operation, and outstanding image control, all in a sleek, manageable shape. So you get the benefits of mobility without sacrificing the functionality you get with a full-size projector.

### READY, SET, WIRELESS.

Since the DP1200x is wireless-ready, it's easy to add wireless functionality to the projector. So you're ready to project faster than ever in any projection environment, and you're more efficient. No more plugging in cables to set up presentations or when switching between multiple computers.

# DP1200x



## MOBILE PROJECTION GETS PERSONAL.

You're on the move. You need a projector that moves with you. One that doesn't weigh you down. A projector that is as portable as your PDA and laptop. And that feels just as personal. You need the Proxima DP1200x. The DP1200x reinvents the mobile projection category with a head-turning, truly mobile solution that will change the way you feel about taking projectors on the road. Go ahead. Tuck it in the same briefcase as your laptop. It fits. And because it weighs so little, you'll barely notice it's there. Finally, a mobile projector that works for you. A projector you can call your own. Add it to your mobile communications toolkit, and you'll marvel at what you can accomplish.

## TAKE YOUR PRESENTATION PLACES.

Forget what you've read and heard about mobile projection. The DP1200x delivers on the promise, with a revolutionary projector that's size, shape and robust functionality equal a truly mobile projector solution. Weighing in at just 1.98 lbs/0.9 kg, the ultra-hip, ultra-powerful DP1200x packs full projection functionality into its space-age magnesium frame, so you don't sacrifice features for mobility.

## WHAT TRUE MOBILITY LOOKS LIKE.

Who said projectors have to be square? The DP1200x's long and thin form factor means you can tuck it in places a regular "mobile" projector would never fit-like in the same small briefcase as your laptop. No more carting multiple bags through six airports. You're streamlined and in control.


## MORE THAN JUST A PRETTY FACE.

Inside the eye-catching form factor is a projection powerhouse:

- At 1100 lumens, the DP1200x delivers outstanding brightness comparable to a projector twice its size, even in a well-lit room.

So no matter what the environment, you're ready to project.

- The optical zoom lens lets you adjust the picture without moving the projector.
- Native XGA delivers outstanding resolution, so your message is always clear.





- Despite its small size and robust functionality, the DP1200x operates at 37 dB, quiet enough for even in the smallest meeting spaces. So you won't have to compete with your own projector to be heard.
- Because it is wireless, you can share your data without the hassle of plugging in cables, for the ultimate in presentation flexibility and efficiency with Infocus® Corporation's LiteShow®.
- The dual infrared sensors on the projector give you 360 degrees of control from anywhere in the room so you don't have to resort to yoga-like contortions to make a connection between the remote and projector.

## INTUITIVE, FAST

- 1 Optical zoom** lets you change the size of the image being projected without moving the projector
- 2 Simple focus control** lets you make your image as clear and sharp as possible
- 3 Color-coded connections and coordinating cable ties** enable you to connect the projector in seconds
- 4 Dual infrared sensors** let you operate the projector easily from anywhere in the room
- 5 One-touch keypad operation**, accessible right on the top of the machine
- 6 M1-DA connector** allows for wireless capability

## PROJECTABILITY™ = EASE

ProjectAbility lets you take advantage of your Proxima projector from the moment you take it out of the box. Just match the color-coded connectors to the same-color tie attached to each cable. Choose the exact function you need with just one touch at the top of the projector. It's all clearly labeled. Incorporating years of usability research, the ease-of-use philosophy we call ProjectAbility makes meetings shorter and presentations easier.

## SMOOTH OPERATOR.

Like all Proxima projectors, the DP1200x was designed to be easy to set up and operate. The simple keypad delivers one-touch operation, so there's no need to refer to the user manual for common tasks and commands. And imagine being able to set up a projector in seconds—with color-coded and clearly labeled connectors. Just match a color and you're done!

Instant signal lock-on time offers bright, vivid images without hesitation. Automatic configuration displays whatever source you plug in—from PC to video—instantly in the best format, giving you a real-time, large-screen display for Web sites, presentations, and network files. Optional settings, effects, and last-minute changes can be adjusted on a simple, icon-based, 12-language menu you just scroll and select. The projector's low profile is easily transportable and unobtrusive in the meeting room, office, or wherever you give your presentation.

# DP1200x

## SERIOUS COMMITMENT

Proxima's dedication to quality and customer satisfaction is reflected in service options that will bring you a greater return on your investment. Proxima projectors come with a standard two-year limited factory warranty, including parts and labor and a 90-day lamp replacement. Our customer support offers you premium service and convenience, whatever your needs.

For service program details in your region, please visit:

[www.infocus.com/service/service\\_offerings](http://www.infocus.com/service/service_offerings)

### Optional Accessories

CA-ATA-016	ATA Shipping Case
CA-C220	Soft Carry Case
SP-DVI-D	Digital Computer Cable
A650	50"/127 cm Diagonal Screen (portable)
HW-DLXSCRN	60"/152 cm Diagonal Screen (portable)
HW-WALLSCR84	84"/213 cm Diagonal Wall/Ceiling Mnt
SP-STND	Portable Projector Stand
SP-LAMP-013	Replacement Lamp Module
HW-RF-POCKETPNT	Mind Path® RF Pocket Point Remote
HW-CONDUCTOR +	Conductor + Remote
LP-LITESHOW	Wireless Connectivity Module
LP-LITESHOWCARD	Wireless Connectivity Module + PC Card
HW-INTEGRATOR	Integrator Remote

### Ships Standard With

- **Wireless Interlink® Presenter™ Remote Control (including batteries)**
- **3m/10 ft Power Cord (national and regional variants)**
- **2m/6.75 ft M1-A Analog Computer Cable with USB**
- **1.8m/6 ft S-Video Cable**
- **S-Video to RCA video input adapter**
- **Protective Sleeve**
- **Accessory Pouch**
- **Projector System CD includes: multi-language users guide, ProjectorManager™ control software**
- **Quick Setup Guide**
- **Tethered Lens Cap**
- **User Guide (printed version)**
- **Safety Instructions/Warnings**
- **1.8m/6 ft Audio Cable**
- **Audio Cable Adapter**
- **Projection Lamp Module**
- **Color-Coded Cable Ties, 3 set**
- **SCART adapter (Europe only)**

## TECHNICAL SPECIFICATIONS

Native Resolution	• XGA 1024 x 768
Display Technology	• DLP™ by Texas Instruments®; 0.7" XGA 12° DMD DDR
Input Sources (standard)	• Computer (M1-DA), Video (S-Video; RCA via standard S-Video to RCA input adapter), Audio (3.5mm Mini jack)
Output Sources (standard)	• NA
Computer Compatibility	• SXGA, XGA, SVGA, VGA, Macintosh®
Video Compatibility	• Full NTSC, PAL, SECAM
Brightness Standard Mode	• 1100 max ANSI lumens
Contrast Ratio	• 2000:1 full on/full off
Number of Colors	• 16.7 million
H-Synch Range	• 15 – 100 kHz
V-Synch Range	• 43.5 – 130 Hz
Pixel Clock	• Digital 112 MHz (max); Analog 135 MHz (max)
Digital Keystone Correction	• ±7.5° vertical correction; data/video
Image Offset	• 112%
Projection Lens	• Zoom Lens with manual focus and manual zoom adjust
Throw Ratio	• 1.8 – 2.1:1 (typical)
Minimum Projection Distance	• 1.5 m – 5 m (optimum)
Aspect Ratio	• 4:3
Image size (diagonal)	• 2.9'/0.9 m (min) – 11.5'/3.5 m (max)
Projection Methods	• Front and Rear
Audio	• 3.5 mm mini-jack; 1-Watt speaker
Control	• Projector keypad; IR remote control; Wired control through USB
Lamp*	• 120W UHP / 2000 (typical)
Dimensions (maximum)	• 2.05" (H) x 3.69" (L) x 9.75" (W) 5.21 cm (H) x 9.37 cm (L) x 24.77 cm (W)
Weight	• 1.98 lbs/0.9 kg
Power Consumption	• 150-Watt
Power Supply	• 100V – 240V at 50/60 Hz
Operating Temperature	• 5° – 40° C at sea level (0 – 10,000'/3,048 m), 41° – 104° F
Menu Languages	• English, Norwegian, Spanish, Italian, Portuguese, German, French, Chinese (simple), Chinese (traditional), Japanese, Russian, Korean
Audible Noise	• 37dB
Approvals	• FCC A (US/Canada), S-JQA (Japan), PSE (Japan), CCC (China), IRAM (Argentina), GOST (Russia), UL & cUL (US/Canada), TUV GS (Germany), NOM (Mexico), MIC (Korea), C-Tick (Australia)
Lamp Warranty	• 90 Days or 500 hours, whichever comes first
Product Warranty	• 2 years Parts and Labor; one year ProXChange
Accessory Warranty	• 1 year

\*Actual lamp life may vary based on the ambient environment. Conditions that may affect lamp life include temperature, altitude, or rapidly switching the projector on and off.



Contact InFocus Corporation or your dealer today to arrange a demonstration.

[www.proxima.com](http://www.proxima.com) [www.infocus.com](http://www.infocus.com)

### InFocus Corporate Headquarters:

27700B SW Parkway Avenue • Wilsonville, Oregon 97070-9215, USA  
Phone: 503-685-8888 • 1-800-294-6400 • Fax: 503-685-8887

### In Europe: InFocus International BV

Strawinskylaan 585 • 1077 XX Amsterdam • The Netherlands  
Phone: (31) 20 5792000 • Fax: (31) 20 5792999  
Freephone: 008000 4636287 (008000 INFOCUS)

### In Asia: 238A Thomson Road • #18-01/04 Novena Square

Singapore 307684 • Telephone: (65) 6334-9005 • Fax: (65) 6333-4525

Proxima is registered trademark of InFocus Corporation. All other trademarks are used with permission or are for identification purposes only and are the property of their respective companies. ©2003 InFocus Corporation. All rights reserved.  
5/03 805-0097-00 DP1200x\_DS.qxd